

CÔNG TY TNHH THƯƠNG MẠI DỊCH VỤ DLK

DLK

Reliable Partner

GIẢI PHÁP BMS & HVAC

CẢM BIẾN | THIẾT BỊ ĐO LƯỜNG | ĐIỀU KHIỂN
VAN | GIÁM SÁT | GIẢI PHÁP TỰ ĐỘNG HÓA



CATALOG KỸ THUẬT · JOHNSON CONTROLS

Động cơ van gió M9208

lò xo hồi 8 Nm · on/off, floating, 0–10 V

M9208 Johnson Controls – động cơ van gió lò xo hồi 8 Nm, on/off, floating, 0(2)–10 V, IP54, tùy chọn 2 công tắc phụ, tự về vị trí an toàn khi mất điện.

Mã: M9208 · Hãng: Johnson Controls · Hotline: 093 797 2339

dlk.com.vn/m9208-johnson-controls-dong-co-van-gio-lo-xo-hoi.html



www.dlk.com.vn

M9208 Series Electric Spring Return Actuators

Introduction

The M9208 Spring Return Electric Damper Actuator series has been specially developed for the motorized operation of air dampers in Air Conditioning Systems.

It provides a 8 Nm torque.

When the control signal is applied the actuator drives the damper to the operational position.

After a power failure the stored energy in the spring immediately brings the damper to the safety position.

The compact design and universal adapter fitted with limitation of rotation angle make this actuator highly versatile.




8 Nm Rotary Actuators for Dampers

Features

- 24 V AC/DC and 240 V AC power supply
- ON/OFF, Floating and Proportional Control
- Direct mounting on round shaft 8 to 16 mm or square shafts 6 to 12 mm. Optional Jackshaft coupler (M9208-600) available for 12 to 19 mm round shaft or 10 to 14 mm square shaft
- Integral cables with coloured and numbered conductors
- Limitation of rotation angle
- Manual positioning with crank handle
- Optional integrated auxiliary switches
- IP54 Enclosure protection



Dimensions (in mm)



Ordering Information

Codes	Running time (s)		Control signals	Supply voltage (50/60 Hz)	2 Auxiliary Switch
	Motor	Spring			
M9208-AGA-1	150	17...25	ON/OFF and Floating	24 V AC/DC	-
M9208-AGC-1					■
M9208-BGA-1	55...71	13...26	ON/OFF	24 V AC	-
M9208-BGC-1					■
M9208-BDA-1	55...71	13...26	ON/OFF	230 V AC	-
M9208-BDC-1					■
M9208-GGA-1	150	17...25	Proportional 0...10 V DC / 2...10 V DC	100 - 240 V AC	-
M9208-GGC-1					■



Reliable Partner



CÔNG TY TNHH THƯƠNG MẠI DỊCH VỤ DLK

MST

0317566997

ĐỊA CHỈ THUẾ

G6/18H Đường Trần Văn Giàu, Xã Bình Lợi,
Thành phố Hồ Chí Minh, Việt Nam

VĂN PHÒNG

CS1: 111/7 Vườn Lài, Phú Thọ Hòa, Tân Phú,
TP.CHM

CS2: TT1-09 Foresa 4A, KĐT Xuân Phương,
TP. Hà Nội

HOTLINE

093 797 2339

EMAIL

info@dlk.com.vn

WEBSITE

www.dlk.com.vn