

CÔNG TY TNHH THƯƠNG MẠI DỊCH VỤ DLK

DLK

Reliable Partner

GIẢI PHÁP BMS & HVAC

CẢM BIẾN | THIẾT BỊ ĐO LƯỜNG | ĐIỀU KHIỂN
VAN | GIÁM SÁT | GIẢI PHÁP TỰ ĐỘNG HÓA



CATALOG KỸ THUẬT · NCT

Tủ cảnh báo rò rỉ NCT

ND01AA · IP66/67 · WCDMA, RS-485, RF · UPS NF06A / NF07A

ND01AA NCT – tủ cảnh báo rò rỉ tích hợp bộ điều khiển cảm biến, đèn còi, truyền WCDMA, RS-485, RF, IP66/67, vỏ inox, sơn tĩnh điện, đặt theo số kênh.

Mã: ND01AA · Hãng: NCT · Hotline: 093 797 2339

dlk.com.vn/nd01aa-nct-tu-can-bao-ro-ri.html




www.dlk.com.vn

Smart Safety Management Solution

NCT's leak detection solution provides an integrated safety management system that seamlessly connects the entire workflow, from detection and alarming to monitoring and analysis.

System Workflow



Controller and Alarm Panel

Stably connects sensors with the monitoring system, generates immediate alarms upon leak detection, and transmits signals to the monitoring system.

Key Features

- Linked with leak detection sensors to activate alarms and transmit real-time signals when leakage occurs
- Modular configuration adaptable to various facilities and environments
- Ensures reliable equipment operation through stable power and signal connections
- Designed for easy installation and maintenance, ensuring excellent on-site applicability



Controller for Leak Sensor



Controller for Chemical Leak Sensor



Leak Sensor Alarm Panel

Leak Sensor Alarm Panel

The leak sensor alarm panel is installed with the sensor controller to integrate and manage configuration, alarms, and communication functions of the leak detection system.



Key Features

- Identifies normal, leak, and disconnection status in real time and transmits alarms
- Sends notifications to offices, sites, and monitoring equipment via wired and wireless communication
- Compatible with UPS (uninterruptible power supply) and SMS notification systems
- Panel can be manufactured according to dustproof, explosion-proof, and waterproof requirements
- Custom manufacturing available by material : Powder coating, double door, plastic box, SUS (stainless steel), etc.



HI_BOX



Powder coating Steel-box



SUS double door

Product Spec


Product Name	Sensor Control & Alarm Panel	Communication Method	WCDMA, RS-485, RF
Product Number	ND01AA	Operating temperature	-40 to 100°C
Dimensions	- Channel configuration negotiable upon request. - Overall size varies depending on channel count and specifications.	Material	SUS304, ABS, PC ※ Custom manufacturing is available to meet specific user requirements, including SUS double-door, HI-BOX double-door, and powder-coated steel box configurations.
Power Supply	AC 220V	Dustproof, explosion-proof, and waterproof	IP66/67, IK07/08

Connector Protective Case

Key Features

- Protects connectors from external environmental factors
- Connect the connector inside the enclosure, then close and secure the top cover

Product Number	NF04A
Material	SUS
Dimensions	70 mm (W) * 80 mm (H) * 50 mm (D)




Sensor Protective Cover

Key Features

- Cover-type protection placed over the film sensor
- Secured to the floor using separate saddles
- A separate label is affixed to the top surface of the protective case

Product Number	NF05A
Material	SUS
Dimensions	40 mm (W) * 15 mm (H) * 2400 mm (L), 1.2 mm (T)



UPS

Key Features

- Uses a built-in battery during power outages to keep the alarm module operating.
- Certified: KC, CE
- Emergency power (UPS) is required in accordance with Chemical Safety Authority notification criteria.



Standard Model

Product Number	NF06A
Material	101 mm (W) * 279 mm (H) * 142 mm (D)
Dimensions	12 V / 7 Ah
Input / Output	220 VAC (10%, 50/60 Hz)
Weight	4.2 kg



Compact Model

Product Number	NF07A
Material	84 mm (W) * 72 mm (H) * 42 mm (D)
Battery Capacity	14.4 V × 3,000 mAh
Input / Output	24 V (±10%)
Weight	400 g



Reliable Partner



CÔNG TY TNHH THƯƠNG MẠI DỊCH VỤ DLK

MST

0317566997

ĐỊA CHỈ THUẾ

G6/18H Đường Trần Văn Giàu, Xã Bình Lợi,
Thành phố Hồ Chí Minh, Việt Nam

VĂN PHÒNG

CS1: 111/7 Vườn Lài, Phú Thọ Hòa, Tân Phú,
TP.CHM

CS2: TT1-09 Foresa 4A, KĐT Xuân Phương,
TP. Hà Nội

HOTLINE

093 797 2339

EMAIL

info@dlk.com.vn

WEBSITE

www.dlk.com.vn